

- Smooth extrusions walls
- Wide range of accessories

APPLICATION

- main and decorative lighting


MOUNTING

- to the surface or suspended, using dedicated accessories or properly selected screws
- can be easily connected into runs and systems

ADDITIONAL INFORMATION

- standard lengths of KLUŠ profiles and covers: 1000 mm (tolerance ± 1.5 mm) and 2005 mm / 3010 mm (tolerance + 5 mm); for selected covers: 6050 mm, 10050 mm (tolerance + 5 mm)
- when choosing a different length of profiles / covers than available in the standard, you should additionally choose the cutting service at KLUŠ

TECHNICAL DRAWING



TECHNICAL SPECIFICATIONS

Material	aluminum
Color	■ silver anodized
Possible fixture IP	20
Possible fixture shapes	linear, polygonal
Profile cross-section	rectangular
Width	1.2"
Height	0.9"
LED gluing width A	1.1"
Number of LED strips A (0.31" wide)	3
Width of the glow	25.4 mm
Max power of a single KLUŠ LED strip	24 W/m
Possibility of obtaining a line of light	yes
Building type	Commercial, Retail, Entertainment/ Arts, Hotel / Restaurant
Facility zone	office, communication routes and corridors, conference room, lobby / foyer
The cover is cut to the length of the profile	yes


Length	Ref
39.4"	A08441A_1
78.9"	A08441A_2

3035-O Extrusion

Ref. A08441

Can be easily connected into runs	yes
Wire out back of extrusion	yes

SAMPLE PROJECTS



RELATED PROFILES > MOUNTING TRACKS



RAM-3035-KOZE
A18056


RELATED ACCESSORIES > COVERS

NAME	MATERIAL	MATERIAL TRANSMITTANCE	COLOR	REF.
LIGER	PC	62 %	satin	B17141S


RELATED ACCESSORIES > END CAPS

NAME	MATERIAL	COLOR	REF.
3035-O	ABS	gray	C24274C02
3035-O-HQ	aluminum	silver	C28217AS

RELATED ACCESSORIES > RELATED LED > CRI 90+



K-1210-24
K-1210-24



K-1820-HD-24
K-HD-1820-24


RELATED ACCESSORIES > RELATED LED > CRI 95+




K-CR-1210-24
K-CR-1210-24




K-CR-1220-24
K-CR-1220-24



K-CR-1275-24
K-CR-1275-24




K-CR-1820-HD-24
K-CRHD-1820-24




K-CR-1910-HD-24
K-CRHD-1910-24


RELATED ACCESSORIES > RELATED LED > HIGH EFFICACY




K-HE-0480-HD-24
K-HEHD-0480-24



K-HE-0960-HD-24
K-HEHD-0960-24




K-HE-1440-HD-24
K-HEHD-1440-24



K-HE-1920-HD-24
K-HEHD-1920-24


RELATED ACCESSORIES > RELATED LED > RGB / RGB-W / RGB-CTT



K-1200-120-RGB-24V
K-1200-120-RGB-24V




K-RGB27T65-1200-24
K-RGB27T65-1200-24



K-1275-RGB-24
K-RGB-1275-24



K-RGBW-1530-24
K-RGBW-1530-24




K-1920-120-RGB-24
K-RGB-1920-120-24

3035-O Extrusion


Ref. A08441



K-1920-RGB+W-24V
K-RGBW-1920-24



K-RGB-1200-24
K-RGB-1200-24




K-0700-120-RGB-24
K-0700-120-RGB-24

RELATED ACCESSORIES > RELATED LED > SIDE EMITTING




K-SE-1210-8-24
K-SE-1210-24-8


RELATED ACCESSORIES > OTHER ACCESSORIES




FASTENER SET
FI-8-ZM-1
C28134



FASTENER SET
FI-8-ZM-2
C28135



FASTENER SET
PUSZ-ZM-1
C28130



FASTENER SET
PUSZ-ZM-2
C28131

RELATED ACCESSORIES > OTHER ACCESSORIES > ADDITIONAL ITEMS



GLAND
6x1,2
C24517C07



GLAND
8x1,6
C42290C07



GLAND
M8x1
C42265N00



GLAND
19x1,6
C24519C07

RELATED ACCESSORIES > OTHER ACCESSORIES > CONDUCTIVE FASTENERS AND HEADS FOR EXTRUSIONS



HEAD
BZP-ZZ
42215



FASTENER
PUSZ-PRET-ZM
42250




FASTENER
FI-8-LIN-ZMZ
C28171N00, C28171L10,
C28171L07

RELATED ACCESSORIES > OTHER ACCESSORIES > CONNECTORS




CONNECTOR
ZM-180
C28075N00



CONNECTOR
ZM-PION-45
42314



CONNECTOR
ZM-X45-G
42330



CONNECTOR
ZM-T90-G
42328



CONNECTOR
ZM-T60-G
42326



CONNECTOR
ZM-T45-G
42324



CONNECTOR
ZM-PION-120
42320



CONNECTOR
ZM-135-G
42310



CONNECTOR
ZM-PION-135
42719




CONNECTOR
ZM-90-G
42306




CONNECTOR
ZM-60-G
42304



CONNECTOR
ZM-45-G
42338



CONNECTOR
ZM-90
42716



CONNECTOR
ZM-PION-90
C28086N00




CONNECTOR
ZM-135
42720

3035-O Extrusion


Ref. A08441



CONNECTOR
ZM-MINI-180
44501




CONNECTOR
ZM-T45
C28076N00




CONNECTOR
ZM-X45
C28079N00


RELATED ACCESSORIES > OTHER ACCESSORIES > COUPLERS




COUPLER
L135
L135




COUPLER
L135PW
L135PW




COUPLER
L135PZ
L135PZ




COUPLER
L90
L90




COUPLER
L90PW
L90PW




COUPLER
L90PZ
L90PZ




COUPLER
T135L
T135L




COUPLER
T135R
T135R



COUPLER
T90
T90



COUPLER
X135
X135



COUPLER
X90
X90

RELATED ACCESSORIES > OTHER ACCESSORIES > ELECTRONICS



GLAND
6,4x3
C42264C07

RELATED ACCESSORIES > OTHER ACCESSORIES > FASTENERS AND HEADS FOR EXTRUSIONS



HEAD
BZP
C28113N00



FASTENER
FI-10-ZM-P
C28117N00



FASTENER
FI-10-ZM-W
C28116N00




FASTENER
FI-8-LIN-ZM
C28170N00, C28170L10,
C28170L07




FASTENER
FI-8-PRET-ZM
C28189

RELATED ACCESSORIES > OTHER ACCESSORIES > SECURITY AND BLOCKS



BLOCK
ZM
C28194N00

RELATED ACCESSORIES > OTHER ACCESSORIES > SURFACE SPRINGS



SPRING
GP
C24500N00

RELATED ACCESSORIES > OTHER ACCESSORIES > SUSPENSION AND MOUNTING SETS



FASTENER SET

RG-1

C28230P00, C28230P01,
C28230L10, C28230L07