

MICRO-NK Extrusion

Ref. A01587



IP20



- Invisible groove edge
- Minimum height
- Small bending radius

APPLICATION

- furniture and decorative lighting


MOUNTING

- recessed, with mounting adhesive or double-sided adhesive tape

ADDITIONAL INFORMATION

- standard lengths of KLUŚ profiles and covers: 1000 mm (tolerance ± 1.5 mm) and 2005 mm / 3010 mm (tolerance + 5 mm); for selected covers: 6050 mm, 10050 mm (tolerance + 5 mm)
- when choosing a different length of profiles / covers than available in the standard, you should additionally choose the cutting service at KLUŚ

TECHNICAL DRAWING



TECHNICAL SPECIFICATIONS


Material	aluminum
Possible fixture IP	20, 67
Possible fixture shapes	linear, round
Profile cross-section	rectangular
Width	0.9"
Height	0.2"
LED gluing width A	0.4"
Number of LED strips A (0.31" wide)	1
Width of the glow	11.2 mm
Max power of a single KLUŚ LED strip	24 W/m
Building type	Commercial, Residential, Hotel / Restaurant, Entertainment/ Arts
Facility zone	kitchen, bathroom, furniture, advertising / POS, shop windows and exhibition, niche/cove
The cover is cut to the length of the profile	yes
Wire out end cap	yes
Wire out back of extrusion	yes

Color	Length	Ref
■ silver anodized	39.4"	A01587A_1
	78.9"	A01587A_2
■ black anodized	39.4"	A01587A07_1
	78.9"	A01587A07_2

MICRO-NK Extrusion

Ref. A01587

SAMPLE PROJECTS



RELATED ACCESSORIES > COVERS

NAME		MATERIAL	MATERIAL TRANSMITTANCE	COLOR	REF.
LIGER		PC	59 %	satin	B17037S
			21 %	black	B17037B
HS		PC	59 %	frosted	B17208F
			88 %	clear	B17208C
KA		PC	63 %	frosted	B17035M
			91 %	clear	B17035T
63 %	frosted	B17035M			
91 %	clear	B17035T			


MICRO-NK Extrusion

Ref. A01587


RELATED ACCESSORIES > END CAPS

NAME		MATERIAL	COLOR	REF.
MICRO-NK		ABS	 gray	C24346C02
			 black	C24346C07
			 white	C24346C10
			 silver	C24346L01
MICRO-NK-OTW		ABS	 gray	C24346C02TW
			 silver	C24346L01TW
			 white	C24346C10TW
			 black	C24346C07TW


RELATED ACCESSORIES > RELATED LED > ADJUSTABLE WHITE / DIM TO WARM




K-27/65-1920-24V
K-27/65-1920-24



K-22/50-1728-24V
K-22/50-1728-24



K-30/18-1770-24V
K-30/18-1770-24



K-30/18-1770-010V-24V
K-30/18-1770-010V-24V


RELATED ACCESSORIES > RELATED LED > CRI 90+



K-1210-24
K-1210-24



K-1220-12V
K-1220-12




K-1820-HD-24
K-HD-1820-24



KWP-GHD-1640-24
KWP-GHD-1640-24


RELATED ACCESSORIES > RELATED LED > CRI 95+




K-CR-1210-24
K-CR-1210-24




K-CR-1220-24
K-CR-1220-24



K-CR-1275-24
K-CR-1275-24




K-CR-1820-HD-24
K-CRHD-1820-24




K-CR-1910-HD-24
K-CRHD-1910-24

RELATED ACCESSORIES > RELATED LED > HIGH EFFICACY




K-HE-0480-HD-24
K-HEHD-0480-24



K-HE-0960-HD-24
K-HEHD-0960-24




K-HE-1440-HD-24
K-HEHD-1440-24



K-HE-1920-HD-24
K-HEHD-1920-24

RELATED ACCESSORIES > RELATED LED > RGB / RGB-W / RGB-CTT




K-1275-RGB-24
K-RGB-1275-24



K-RGBW-1530-24
K-RGBW-1530-24



K-1920-120-RGB-24
K-RGB-1920-120-24



KWP-GRGBW-1530-24
KWP-GRGBW-1530-24



K-RGB-1200-24
K-RGB-1200-24


RELATED ACCESSORIES > OTHER ACCESSORIES > ADDITIONAL ITEMS



GLAND
6x1,2
C24517C07



GLAND
8x1,6
C42290C07



GLAND
M8x1
C42265N00



GLAND
19x1,6
C24519C07