

XSS Series

NYC Compliant LED Exit Sign Light Specifications

Project _____

Date _____ Type _____



XSS-R-W

Description

The XSS Series LED emergency light and exit sign is built to comply with New York City codes and standards. The fixture has a 20-gauge steel housing and includes an extra faceplate allowing for single or double sided use. The NiCad battery delivers 90+ minutes of emergency power on a 24-hour charge. Remove the chevron knockouts on the faceplates to indicate the exit direction. Mount to a junction box or connect to power using the 1/2 inch trade size knockouts on either side of the fixture.

Mechanical

- Powder-coated 20-gauge steel housing
- Test button and power indicator light
- Suitable for damp locations
- Operating Temperature: 50°-104° F (10°-40° C)

Electrical

- 120-277 VAC
- NiCad backup battery
- 2 kV surge protection
- 50,000-hour (L70) LED lifetime

Photometrics

- Red LED color and diffuser (exit sign)

Certifications and Compliances

These lights are UL Listed in compliance with UL 924 (FTBR). NYC Code Compliant.



Available Models¹

- XSS-R-W

Part Number Breakdown

Example: XSS-R-W

Series	LED Color	Finish
XSS [Exit Sign, 20 ga Steel]	R [red]	W [white]

Application

Ideal for providing safety and emergency lighting in commercial and industrial applications such as retail, warehouses, and office spaces.

Warranty

Lifetime warranty²

Specifications

Model		XSS-R-W
Operating Voltage		120-277 VAC
Wattage		3 W
Current Draw	120 VAC	32 mA
	277 VAC	14 mA
Battery Type		NiCad
Emergency Duration		≥90 minutes
Recharge Time		24 hours
Surge Protection		2 kV
Environmental Rating		Suitable for damp locations
Ambient Operating Temperature		50°-104° F (10°-40° C)
Rated Life (L70)		50,000 hours



T 866.811.5550
 F 314.972.6202
 email: commercial-sales@superbrightleds.com
 www.superbrightleds.com/cat/industrial-led-lighting/

¹Contact customer service if interested in options other than those listed.



²Limited two (2) year warranty on battery

XSS Series

NYC Compliant LED Exit Sign Light Specifications

Dimensional Drawings

XSS-R-W




XSS Series

NYC Compliant LED Exit Sign Light Specifications

Dimensional Drawings

Wall Mount



Surface Mount

