

- Small bending radius
- Wide range of accessories
- Luminaire direction adjustment

APPLICATION

- main, decorative and functional lighting


MOUNTING

- suspended, to the surface or recessed, using dedicated accessories, properly selected screws or a dedicated mounting track
- can be easily connected into runs and systems
- easy assembly and disassembly by snapping in and out

ADDITIONAL INFORMATION

- standard lengths of KLUŚ profiles and covers: 1000 mm (tolerance ± 1.5 mm) and 2005 mm / 3010 mm (tolerance + 5 mm); for selected covers: 6050 mm, 10050 mm (tolerance + 5 mm)
- when choosing a different length of profiles / covers than available in the standard, you should additionally choose the cutting service at KLUŚ

TECHNICAL DRAWING



TECHNICAL SPECIFICATIONS

Material	aluminum
Possible fixture IP	20, 67
Possible fixture shapes	linear, polygonal, round
Profile cross-section	rectangular
Width	1"
Height	0.6"
LED gluing width A	0.9"
Number of LED strips A (0.31" wide)	2
Width of the glow	22 mm
Max power of a single KLUŚ LED strip	24 W/m
Lighting angle adjustment up to	150
Possibility of obtaining a line of light	yes
Possibility of bending	yes
Radius of the light arc	yes
Inward	240 mm
Outdoor	240 mm
Building type	Entertainment/ Arts, Hotel / Restaurant, Commercial, Retail

Color	Length	Ref
■ silver anodized	39.4"	A00758A_1
	78.9"	A00758A_2
	118.5"	A00758A_3
□ white lacquered	78.9"	A00758L100D_2

GIZA-LL Extrusion


Ref. A00758

Facility zone	office, lobby / foyer, conference room, communication routes and corridors
Easy assembly and disassembly by snapping in and out	yes
The cover is cut to the length of the profile	yes
Can be easily connected into runs	yes
Wire out back of extrusion	yes

SAMPLE PROJECTS



REFERENCE SHAPES



RELATED PROFILES > ARCHITECTURAL




GIZA-LL-T
A02479







GIZA-LL-UST
A02724N

RELATED PROFILES > MOUNTING TRACKS







TEKUS
A06638V


RELATED ACCESSORIES > COVERS

NAME	MATERIAL	MATERIAL TRANSMITTANCE	COLOR	REF.
DILENSO		63 %	semi-transparent	B17173T
		65 %	frosted	B17011F
HS		88 %	clear	B17011C
		70 %	satin	B17032S
LIGER		22 %	black	B17032B
		71 %	satin	B17006S
G		86 %		B17013S
		89 %	semi-transparent	B17013T
		15 %	black	B17013B


RELATED ACCESSORIES > END CAPS

NAME	MATERIAL	COLOR	REF.
GIZA-LL		 gray	C24281C02
		 white	C24281C10
		 black	C24281C07


RELATED ACCESSORIES > RELATED LED > ADJUSTABLE WHITE / DIM TO WARM




K-22/50-1728-24V
K-22/50-1728-24




K-30/18-1770-24V
K-30/18-1770-24



WP-K-22/50-1728-24V
KWP-22/50-1728-24V



WP-K-30/18-1770-24V
KWP-30/18-1770-24



WP-K-30/18-1770-010V-24V
KWP-30/18-1770-010V-24V




K-30/18-1770-010V-24V
K-30/18-1770-010V-24V


RELATED ACCESSORIES > RELATED LED > CRI 90+



K-1210-24
K-1210-24




K-1220-12V
K-1220-12




K-1820-HD-24
K-HD-1820-24



KWP-GHD-1640-24
KWP-GHD-1640-24



WP-K-1210-12V
KWP-1210-12



KWP-1210-24
KWP-1210-24



KWP-1220-IP65-24
KWP-1220-IP65-24



KWP-HD-1820-24
KWP-HD-1820-24




KWP-HEHD-1440-24-40C
KWP-HEHD-1440-24-40C


RELATED ACCESSORIES > RELATED LED > CRI 95+




KWP-CR-1210-24
KWP-CR-1210-24



K-CR-1210-24
K-CR-1210-24




K-CR-1220-24
K-CR-1220-24



K-CR-1275-24
K-CR-1275-24



K-CR-1820-HD-24
K-CRHD-1820-24



K-CR-1910-HD-24
K-CRHD-1910-24



KWP-CR-1220-24
KWP-CR-1220-24



KWP-CR-1275-24
KWP-CR-1275-24




KWP-CRHD-1820-24
KWP-CRHD-1820-24




KWP-CRHD-1910-24
KWP-CRHD-1910-24

RELATED ACCESSORIES > RELATED LED > HIGH EFFICACY




K-HE-0480-HD-24
K-HEHD-0480-24



K-HE-0960-HD-24
K-HEHD-0960-24



K-HE-1440-HD-24
K-HEHD-1440-24




K-HE-1920-HD-24
K-HEHD-1920-24


RELATED ACCESSORIES > RELATED LED > RGB / RGB-W / RGB-CTT



K-1275-RGB-24
K-RGB-1275-24



K-1920-RGB+W-24V
K-RGBW-1920-24




WP-K-1275-RGB-12V
KWP-RGB-1275-12




K-RGBW-1530-24
K-RGBW-1530-24




KWP-RGBW-1530-24
KWP-RGBW-1530-24



K-1920-120-RGB-24
K-RGB-1920-120-24



KWP-1920-120-RGB-24
KWP-1920-120-RGB-24




K-RGB27T65-1200-24
K-RGB27T65-1200-24




K-RGB-1200-24
K-RGB-1200-24


RELATED ACCESSORIES > OTHER ACCESSORIES




FASTENER SET
FI-8-ZM-1
C28134



FASTENER SET
FI-8-ZM-2
C28135



FASTENER SET
PUSZ-ZM-1
C28130



FASTENER SET
PUSZ-ZM-2
C28131

RELATED ACCESSORIES > OTHER ACCESSORIES > ADDITIONAL ITEMS



GLAND
6x1,2
C24517C07



GLAND
8x1,6
C42290C07



GLAND
M8x1
C42265N00



GLAND
19x1,6
C24519C07



ADAPTER
DILENSO
E62145

RELATED ACCESSORIES > OTHER ACCESSORIES > CONDUCTIVE FASTENERS AND HEADS FOR EXTRUSIONS



HEAD
BZP-ZZ
42215



FASTENER
OS22-LIN-Z
C28184L07, C28184L10



FASTENER
OS22-DUO-LIN-Z
C28183L07, C28183L10



FASTENER
OS22-PRET-Z
C28186L07, C28186L10



FASTENER
OS22-DUO-PRET-Z
C28185L07, 42343L9010



FASTENER
FI-8-LIN-ZMZ
C28171N00, C28171L10,
C28171L07




FASTENER
PUSZ-PRET-ZM
C28161N00, C28161L10,
C28161L07

RELATED ACCESSORIES > OTHER ACCESSORIES > CONNECTORS




CONNECTOR
ZM-180
C28075N00



CONNECTOR
ZM-PION-45
42314



CONNECTOR
ZM-X45-G
42330



CONNECTOR
ZM-T90-G
42328




CONNECTOR
ZM-T60-G
42326



CONNECTOR
ZM-T45-G
42324



CONNECTOR
ZM-PION-120
42320



CONNECTOR
ZM-135-G
42310



CONNECTOR
ZM-PION-135
42719



CONNECTOR
ZM-90-G
42306




CONNECTOR
ZM-60-G
42304



CONNECTOR
ZM-45-G
42338



CONNECTOR
ZM-90
42716




CONNECTOR
ZM-PION-90
C28086N00




CONNECTOR
ZM-135
42720



CONNECTOR
ZM-MINI-180
44501




CONNECTOR
ZM-T45
C28076N00




CONNECTOR
ZM-X45
C28079N00


RELATED ACCESSORIES > OTHER ACCESSORIES > COUPLERS




COUPLER
L135
L135




COUPLER
L135PW
L135PW




COUPLER
L135PZ
L135PZ




COUPLER
L90
L90




COUPLER
L90PW
L90PW




COUPLER
L90PZ
L90PZ




COUPLER
T135L
T135L




COUPLER
T135R
T135R



COUPLER
T90
T90



COUPLER
X135
X135



COUPLER
X90
X90

RELATED ACCESSORIES > OTHER ACCESSORIES > ELECTRONICS



GLAND
6,4x3
C42264C07

RELATED ACCESSORIES > OTHER ACCESSORIES > EXTRUSION MASKING COVERS



MASKING COVER
MP-22
C28261L01_0.25,
C28261L10_0.25,
C28261L07_0.25

RELATED ACCESSORIES > OTHER ACCESSORIES > FASTENERS AND HEADS FOR EXTRUSIONS



HEAD
BZP
C28113N00



FASTENER
FI-8-LIN-ZM
C28170N00, C28170L10,
C28170L07



FASTENER
FI-10-ZM-W
C28116N00



FASTENER
FI-10-ZM-P
C28117N00



FASTENER
FI-8-PRET-ZM
C28189

RELATED ACCESSORIES > OTHER ACCESSORIES > LATCHES



LATCH
TEKNIK
C24003C10

RELATED ACCESSORIES > OTHER ACCESSORIES > MOUNTING BRACKETS



MOUNTING BRACKET
GIP-STN
C24447N00



MOUNTING BRACKET
GIP-UV
C24310C02, C24328C07



MOUNTING BRACKET
GIP
C24332C02



MOUNTING BRACKET
REGIP-UV
C28057C02



MOUNTING BRACKET
AM-24
C24235N00



FASTENER SET
NEO-ZM-3
C28105N00



FASTENER SET
NEO-ZM-PLUS-3
C28107N00



FASTENER SET
NEO-ZM-4
C28106N00



FASTENER SET
NEO-ZM-PLUS-4
C28108N00




NEW
MOUNTING BRACKET
GIP-STN-90D
C20002




NEW
MOUNTING BRACKET
GIP-STN-90G
C20001

RELATED ACCESSORIES > OTHER ACCESSORIES > SECURITY AND BLOCKS



BLOCK
ZM
C28194N00

RELATED ACCESSORIES > OTHER ACCESSORIES > SURFACE SPRINGS



SPRING
GP
C24500N00

RELATED ACCESSORIES > OTHER ACCESSORIES > SUSPENSION AND MOUNTING SETS



FASTENER SET
RG-1
C28230P00, C28230P01,
C28230L10, C28230L07