


PRODUCT DESCRIPTION

- Conceals the light source - the brightest, contrasting element of the lighting fixture.
- Narrow light angle
- The recessed cover eliminates the gleaming effect.
- Allows the use of more efficient, transparent covers without compromising the aesthetics of the lighting fixture (LED points remain invisible).
- Can be easily and quickly attached to and removed from the surface.



FINISH :

Silver anodized ☐Black anodized ☐

Fill empty fields

Product nr.	
Fixture type	
Company	
Job name	
Date	

TECHNICAL SPECIFICATION

Application

- for use in interior architecture and furniture,
- for backlighting components where the light source is to remain invisible.

Mounting

- mounted to the surface with the "H" bracket.

Additional information

- space for LED strip: 0.44" / 11.2 mm

The lighting fixture enables collision-free lighting of individual areas in the apartment and minimizes glare without causing discomfort. The concealed source of light in the MICRO-HG profile makes larger interiors with a large number of lighting fixtures more comfortable, as your eyes are not exposed to the brightest part of the lighting fixture.


We recommend use in the kitchen under cupboards, especially in open kitchenettes; wherever you can see the lighting fixture from a sitting or lying position or from a child's height.

The fixture can be equipped with transparent or frosted covers.

AVAILABLE LENGTHS

Ref. nr.	surface finish	available lengths
C1419ANODA_1	Silver anodized	39.4"
C1419ANODA_2	Silver anodized	78.75"
C1419K7_1	Black anodized	39.4"
C1419K7_2	Black anodized	78.75"


TECHNICAL DRAWING



RELATED PRODUCTS


COVERS

BLACK



LIGER Cover
black
Ref: 17040


CLEAR COVERS




HS Cover clear
Ref: 1370




KA-PRO Cover
clear
Ref: 17065




KA Cover clear
Ref: 17036




FROSTED COVERS




KA Cover frosted
Ref: 17035





HS Cover frosted
Ref: 1369



LIGER Cover
frosted
Ref: 17037 (Old
ref. 17031)




KA-PRO Cover
frosted
Ref: 17064




END CAPS

REGULAR END CAPS




MICRO-G grey
End cap
Ref: 24319



MICRO-G black
End cap
Ref: 24331

ACCESSORIES

FASTENERS & MOUNTING ACCESSORIES



PDS-H Mounting
bracket
Ref: 24214



BZP Head
Ref: 42213



FI-10-H-P
Fastener
Ref: 42245



FI-10-H-W
Fastener
Ref: 42243



FI-8-LIN-MR
Fastener silver
Ref: 42287



FI-8-LIN-MR
Fastener black
Ref: 42287L9005



FI-8-PRET-MR
Fastener silver
Ref: 42345

ADDITIONAL ITEMS



6x1.2 Gland
Ref: 00802

LED TAPES

HIGH EFFICACY




K-HE-1920-HD-24V
Ref: K-HE-1920-
HD-24V



K-HE-0960-HD-24V
Ref: K-HE-0960-
HD-24V




K-HE-1440-HD-24V
Ref: K-HE-1440-
HD-24V




K-HE-0480-HD-24V
Ref: K-HE-0480-
HD-24V


CRI95+




K-CR-1210-24V
Ref: K-
CR-1210-24V




K-CR-1220-24V
Ref: K-
CR-1220-24V



K-CR-1275-24V
Ref: K-
CR-1275-24V



K-CR-1820-HD-24V
Ref: K-CR-1820-
HD-24V




K-CR-1910-HD-24V
Ref: K-CR-1910-
HD-24V



WP-K-CR-1210-24V
Ref: WP-K-
CR-1210-24V



WP-K-CR-1220-24V
Ref: WP-K-
CR-1220-24V



WP-K-CR-1275-24V
Ref: WP-K-
CR-1275-24V




K-CR-0530-HD-24V
Ref: K-CR-0530-
HD-24V


WHITE




K-1220-24V
Ref: K-1220-24




K-1275-12V
Ref: K-1275-12



K-1210-12V
Ref: K-1210-12




K-1210-24V
Ref: K-1210-24



K-1220-12V
Ref: K-1220-12



K-1820-HD-24V
Ref: K-1820-HD-24




K-1910-HD-24V
Ref: K-1910-
HD-24



K-1275-24V
Ref: K-1275-24



WP-K-1210-12V
Ref: WP-K-1210-12




K-0530-HD-24V
Ref: K-0530-HD-24




WP-K-1220-12V
Ref: WP-K-1220-12




WP-K-1220-24V
Ref: WP-K-1220-24



WP-K-1220-IP65-24V
Ref: WP-K-1220-IP65-24V




WP-K-1275-12V
Ref: WP-K-1275-12




WP-K-1275-24V
Ref: WP-K-1275-24



WP-K-1210-24V
Ref: WP-K-1210-24




WP-K-1640-HD-IP65-24
Ref: WP-K-1640-HD-IP65-24




WP-K-1910-HD-IP65-24
Ref: WP-K-1910-HD-IP65-24


RGB/ RGBW




K-1275-RGB-12V
Ref: K-1275-RGB-12V




K-1530-RGB+W-24V
Ref: K-1530-RGB+W-24V




K-1920-120-RGB-24V
Ref: K-1920-120-RGB-24V



WP-K-1920-120-RGB-24V
Ref: WP-K-1920-120-RGB-24V




K-1200-120-RGB-24V
Ref: K-1200-120-RGB-24V




K-0700-120-RGB-24V
Ref: K-0700-120-RGB-24V


ADJUSTABLE WHITE/ DIM TO WARM



K-22/50-1728-24V
Ref: K-22/50-1728-24V



K-30/18-1770-24V
Ref: K-30/18-1770-24V



K-30/18-1770-010V-24V
Ref: K-30/18-1770-010V-24V

LONG RUN



K-LR-1000-24V
Ref: K-LR-1000-24