


KOPRO Extrusion

Ref. A06367



- Installation in corners
- Lighting angle: 45 Degrees
- Wide range of accessories
- Cable management space

APPLICATION

- under-cabinet and functional lighting


MOUNTING

- to the surface, using dedicated accessories, mounting adhesive or properly selected screws
- can be easily connected into runs and systems

ADDITIONAL INFORMATION

- standard lengths of KLUŠ profiles and covers: 1000 mm (tolerance ± 1.5 mm) and 2005 mm / 3010 mm (tolerance + 5 mm); for selected covers: 6050 mm, 10050 mm (tolerance + 5 mm)
- when choosing a different length of profiles / covers than available in the standard, you should additionally choose the cutting service at KLUŠ

TECHNICAL DRAWING



TECHNICAL SPECIFICATIONS

Material	aluminum
Color	 silver anodized
Possible fixture IP	20
Possible fixture shapes	linear, polygonal
Profile cross-section	angled
Width	1.3"
Height	1.3"
LED gluing width A	0.8"
Number of LED strips A (0.31" wide)	2
Width of the glow	38 mm
Max power of a single KLUŠ LED strip	24 W/m
Lighting at an angle	45
Possibility of obtaining a line of light	yes
Building type	Commercial, Entertainment/ Arts
Facility zone	kitchen, furniture, shop windows and exhibition
The cover is cut to the length of the profile	yes



Length	Ref
39.4"	A06367A_1
78.9"	A06367A_2

KOPRO Extrusion

Ref. A06367

Can be easily connected into runs	yes
Wire out back of extrusion	yes

SAMPLE PROJECTS




RELATED ACCESSORIES > COVERS

NAME		MATERIAL	MATERIAL TRANSMITTANCE	COLOR	REF.
KOPRO		PC	69 %	satin	B17091S


RELATED ACCESSORIES > END CAPS

NAME		MATERIAL	COLOR	REF.
KOPRO-P		PP	gray	C24117C02
			silver	C24117L01
KOPRO-K		PP	gray	C24115C02
			silver	C24115L01
KOPRO-L		PP	gray	C24116C02
			silver	C24116L01


RELATED ACCESSORIES > RELATED LED > ADJUSTABLE WHITE / DIM TO WARM




K-27/65-1920-24V
K-27/65-1920-24




WP-K-27/65-1920-24V
KWP-27/65-1920-24




K-22/50-1728-24V
K-22/50-1728-24




K-30/18-1770-24V
K-30/18-1770-24



WP-K-22/50-1728-24V
KWP-22/50-1728-24V



WP-K-30/18-1770-24V
KWP-30/18-1770-24



WP-K-30/18-1770-010V-24V
KWP-30/18-1770-010V-24V



K-30/18-1770-010V-24V
K-30/18-1770-010V-24V


RELATED ACCESSORIES > RELATED LED > CRI 90+



K-1210-24
K-1210-24




K-1220-12V
K-1220-12



K-1820-HD-24
K-HD-1820-24



KWP-GHD-1640-24
KWP-GHD-1640-24



WP-K-1210-12V
KWP-1210-12



KWP-1210-24
KWP-1210-24



KWP-HD-1820-24
KWP-HD-1820-24




KWP-1220-IP65-24
KWP-1220-IP65-24




KWP-HEHD-1440-24-40C
KWP-HEHD-1440-24-40C


RELATED ACCESSORIES > RELATED LED > CRI 95+




K-CR-1210-24
K-CR-1210-24




K-CR-1220-24
K-CR-1220-24



K-CR-1275-24
K-CR-1275-24




K-CR-1820-HD-24
K-CRHD-1820-24



K-CR-1910-HD-24
K-CRHD-1910-24

RELATED ACCESSORIES > RELATED LED > HIGH EFFICACY




K-HE-0480-HD-24
K-HEHD-0480-24



K-HE-0960-HD-24
K-HEHD-0960-24




K-HE-1440-HD-24
K-HEHD-1440-24




K-HE-1920-HD-24
K-HEHD-1920-24

RELATED ACCESSORIES > RELATED LED > RGB / RGB-W / RGB-CTT




K-1275-RGB-24
K-RGB-1275-24




K-1920-RGB+W-24V
K-RGBW-1920-24




WP-K-1275-RGB-12V
KWP-RGB-1275-12




WP-K-1920-RGB+W-24V
KWP-RGBW-1920-24




K-RGBW-1530-24
K-RGBW-1530-24



K-1920-120-RGB-24
K-RGB-1920-120-24




KWP-1920-120-RGB-24
KWP-1920-120-RGB-24



K-RGB27T65-1200-24
K-RGB27T65-1200-24



KWP-RGBW-1530-24
KWP-RGBW-1530-24



KWP-GRGBW-1530-24
KWP-GRGBW-1530-24



K-RGB-1200-24
K-RGB-1200-24


RELATED ACCESSORIES > OTHER ACCESSORIES > ADDITIONAL ITEMS



GLAND
6x1,2
C24517C07



GLAND
8x1,6
C42290C07



GLAND
M8x1
C42265N00



GLAND
19x1,6
C24519C07

RELATED ACCESSORIES > OTHER ACCESSORIES > CONNECTORS




CONNECTOR
ZM-180
42717




CONNECTOR
ZM-NA-120
C28242N00



CONNECTOR
ZM-NA-135
42725



CONNECTOR
ZM-NA-PION-60
42317



CONNECTOR
ZM-90
42716



CONNECTOR
ZM-135
42720

RELATED ACCESSORIES > OTHER ACCESSORIES > ELECTRONICS



GLAND
6,4x3
C42264C07

RELATED ACCESSORIES > OTHER ACCESSORIES > ISOLATING BASES



ISOLATING BASES
FI-3
42203




ISOLATING BASES
FI-5
42204



ISOLATING BASES
FI-6
C28109C00

RELATED ACCESSORIES > OTHER ACCESSORIES > SURFACE SPRINGS



SPRING
GP
C24500N00