KOPROMA Extrusion

Ref. A00033

NEW

IP20

- Installation in corners
- Lighting at a 45° angle
- Small dimensions
- Wide line of light
- Slightly visible aluminum components

APPLICATION

- furniture, under-cabinet and decorative lighting

MOUNTING

- to the surface, using dedicated accessories or mounting adhesive
- easy assembly and disassembly by snapping in and out

ADDITIONAL INFORMATION

- when choosing a different length of profiles / covers than available in the standard, you should additionally choose the cutting service at KLUŚ

TECHNICAL DRAWING



TECHNICAL SPECIFICATIONS

Material	aluminum
Color	silver anodized
Possible fixture IP	20
Possible fixture shapes	linear
Profile cross-section	angled
Width	0.6"
Height	0.6"
LED gluing width A	0.4"
Number of LED strips A (0.31" wide)	1
Width of the glow	19 mm
Lighting at an angle	45
Possibility of obtaining a line of light	yes
Building type	Commercial, Residential, Hotel / Restaurant, Retail
Facility zone	kitchen, bathroom, under-cabinet / furniture, exhibition / tradeshow / display
The cover is cut to the length of the profile	yes
Under-cabinet lighting	yes

Length	Ref
78.9"	A00033A_2
118.5"	A00033A_3

https://klusdesign.com, quotations@klusdesign.com
KLUŚ LLC, 673 US Highway 1, Vero Beach, FL 32962

KOPROMA Extrusion

Ref. A00033

Wire out end cap	yes
Wire out back of extrusion	yes

LINE OF LIGHT TABLE

LED tape	KOPROMA-19 frosted
K-2400-24	✓ (1)
K-CRHD-1820-24	✓ (1)
K-CRHD-1910-24	✓ (1)
K-HEHD-0480-24	✓ (1)
K-HEHD-0960-24	✓ (1)
K-HEHD-1920-24	✓ (1)
K-HEHD-0320-24	✓ (1)
K-RGBW-1530-24	✓ (1)
K-22/50-1728-24	✓ (1)
K-CRHD-0530-24	✓ (1)
K-HEHD-1440-24-40C	✓ (1)

Description

✓ - Line of Light for a number (X) of rows - Pixel free imaging

X - Visible Dotting from Diodes

HL - Centered Line of Light - Concentrated in middle

HL (X) - Centered Line of Light for a number (X) of rows - Concentrated in middle

Line of Light Guide

Clean Line of Light (Pixel free imaging)

Centered Line of Light

Visible Dotting from Diodes

SAMPLE PROJECTS





KOPROMA Extrusion

Ref. A00033

RELATED ACCESSORIES > COVERS

NAME			MATERIAL	MATERIAL TRANSMITTANCE	COLOR	REF.
KOPROMA-19R Cover	NEW		PC	71 %	frosted	B17211F

RELATED ACCESSORIES > END CAPS

NAME			MATERIAL	COLOR	REF.
KOPROMA-R End cap	NEW		ASA	gray	C28301C02

RELATED ACCESSORIES > RELATED LED > HIGH EFFICACY

Name	Stopień ochrony IP	Moc	Ref.
K-HEHD-0320-24	20	1 W/ft	K-HEHD-0320-24
K-HEHD-0480-24	20	1.5 W/ft	K-HEHD-0480-24
K-HEHD-0960-24	20	2.9 W/ft	K-HEHD-0960-24
K-HEHD-1920-24	20	5.9 W/ft	K-HEHD-1920-24

RELATED ACCESSORIES > RELATED LED > CRI 95+

Name	Stopień ochrony IP	Moc	Ref.
K-HEHD-1440-24-40C	20	4.4 W/ft	K-HEHD-1440-24-40C
K-CR-1210-24	20	1.5 W/ft	K-CR-1210-24
K-CR-1220-24	20	2.9 W/ft	K-CR-1220-24
K-CR-1275-24	20	4.4 W/ft	K-CR-1275-24
K-CRHD-1820-24	20	5.6 W/ft	K-CRHD-1820-24
K-CRHD-1910-24	20	2.8 W/ft	K-CRHD-1910-24
KWP-CR-1220-24	65	2.9 W/ft	KWP-CR-1220-24
KWP-CR-1275-24	65	4.4 W/ft	KWP-CR-1275-24
K-CRHD-0530-24	20	1.6 W/ft	K-CRHD-0530-24

RELATED ACCESSORIES > RELATED LED > CRI 90+

Name	Stopień ochrony IP	Moc	Ref.
K-2400-24	20	7.3 W/ft	K-2400-24
KWP-GHD-1640-24	65	5 W/ft	KWP-GHD-1640-24
KWP-GHD-1910-24	65	2.8 W/ft	KWP-GHD-1910-24

KOPROMA Extrusion

Ref. A00033

RELATED ACCESSORIES > RELATED LED > RGB / RGB-W / RGB-CTT

Name	Stopień ochrony IP	Moc	Ref.
K-RGBW-1530-24	20	4.7 W/ft	K-RGBW-1530-24
K-RGB-1920-24	20	5.9 W/ft	K-RGB-1920-24
KWP-GRGBW-1530-24	65	4.7 W/ft	KWP-GRGBW-1530-24
KWP-RGB-1920-24	65	5.9 W/ft	KWP-RGB-1920-24

RELATED ACCESSORIES > RELATED LED > ADJUSTABLE WHITE / DIM TO WARM

Name	Stopień ochrony IP	Moc	Ref.
K-22/50-1728-24V	20	5.3 W/ft	K-22/50-1728-24
K-27/65-1920-24V	20	5.9 W/ft	K-27/65-1920-24
K-30/18-1770-24V	20	3.5 W/ft	K-30/18-1770-24
KWP-27/65-1920-24	65	5.9 W/ft	KWP-27/65-1920-24
K-30/18-1770-010V-24V	20	3.5 W/ft	K-30/18-1770-010V-24V
KWP-G22/50-1728-24	65	5.3 W/ft	KWP-G22/50-1728-24

RELATED ACCESSORIES > RELATED LED > SIDE EMITTING

Name	Stopień ochrony IP	Moc	Ref.
KWP-SE-1210-24-8	65	1.5 W/ft	KWP-SE-1210-24-8

RELATED ACCESSORIES > OTHER ACCESSORIES > MOUNTING BRACKETS

Name	Materiał	Kolor	Ref.
KOPROMA NEW	stainless steel		C24660