

- Installation in corners
- Corner masking
- Lighting angle: 45 Degrees

APPLICATION

- furniture, under-cabinet and decorative lighting


MOUNTING

- to the surface, using dedicated accessories, mounting adhesive or properly selected screws

ADDITIONAL INFORMATION

- standard lengths of KLUŠ profiles and covers: 1000 mm (tolerance ± 1.5 mm) and 2005 mm / 3010 mm (tolerance + 5 mm); for selected covers: 6050 mm, 10050 mm (tolerance + 5 mm)
- when choosing a different length of profiles / covers than available in the standard, you should additionally choose the cutting service at KLUŠ

TECHNICAL DRAWING




TECHNICAL SPECIFICATIONS

Material	aluminum
Color	■ silver anodized
Possible fixture IP	20, 65
Possible fixture shapes	linear, polygonal
Profile cross-section	angled
Width	1.2"
Height	0.4"
LED gluing width A	0.5"
Number of LED strips A (0.31" wide)	1
Width of the glow	13.2 mm
Max power of a single KLUŠ LED strip	24 W/m
Lighting at an angle	45
Building type	Residential, Retail, Hotel / Restaurant
Facility zone	office, kitchen, bathroom, furniture, niche/cove, advertising / POS, shop windows and exhibition
Wire out back of extrusion	yes

Length	Ref
39.4"	A04370A_1
78.9"	A04370A_2

SAMPLE PROJECTS




RELATED ACCESSORIES > COVERS

NAME	MATERIAL	MATERIAL TRANSMITTANCE	COLOR	REF.
HS	PC	73 %	frosted	B17201M
		94 %	clear	B17201T


RELATED ACCESSORIES > END CAPS

NAME	MATERIAL	COLOR	REF.
PAC-ALU	PP	gray	C20107C02


RELATED ACCESSORIES > RELATED LED > ADJUSTABLE WHITE / DIM TO WARM




K-27/65-1920-24V
K-27/65-1920-24



WP-K-27/65-1920-24V
KWP-27/65-1920-24



K-22/50-1728-24V
K-22/50-1728-24




K-30/18-1770-24V
K-30/18-1770-24



K-30/18-1770-010V-24V
K-30/18-1770-010V-24V


RELATED ACCESSORIES > RELATED LED > CRI 90+



K-1210-24
K-1210-24



K-1220-12V
K-1220-12



K-1820-HD-24
K-HD-1820-24



KWP-GHD-1640-24
KWP-GHD-1640-24



WP-K-1210-12V
KWP-1210-12




KWP-1210-24
KWP-1210-24



KWP-1220-IP65-24
KWP-1220-IP65-24



KWP-HD-1820-24
KWP-HD-1820-24




KWP-HEHD-1440-24-40C
KWP-HEHD-1440-24-40C




K-HEHD-1440-24-40C
K-HEHD-1440-24-40C


RELATED ACCESSORIES > RELATED LED > CRI 95+




K-CR-1210-24
K-CR-1210-24




K-CR-1220-24
K-CR-1220-24



K-CR-1275-24
K-CR-1275-24



K-CR-1820-HD-24
K-CRHD-1820-24



K-CR-1910-HD-24
K-CRHD-1910-24




KWP-CR-1210-24
KWP-CR-1210-24



KWP-CR-1220-24
KWP-CR-1220-24



KWP-CR-1275-24
KWP-CR-1275-24



KWP-CRHD-1820-24
KWP-CRHD-1820-24




KWP-CRHD-1910-24
KWP-CRHD-1910-24

RELATED ACCESSORIES > RELATED LED > HIGH EFFICACY




K-HE-0480-HD-24
K-HEHD-0480-24



K-HE-0960-HD-24
K-HEHD-0960-24




K-HE-1440-HD-24
K-HEHD-1440-24



K-HE-1920-HD-24
K-HEHD-1920-24


RELATED ACCESSORIES > RELATED LED > RGB / RGB-W / RGB-CTT



K-1275-RGB-24
K-RGB-1275-24



K-RGBW-1530-24
K-RGBW-1530-24



K-1920-120-RGB-24
K-RGB-1920-120-24



KWP-1920-120-RGB-24
KWP-1920-120-RGB-24



K-RGB27T65-1200-24
K-RGB27T65-1200-24



K-RGB-1200-24
K-RGB-1200-24




KWP-RGBW-1530-24
KWP-RGBW-1530-24



KWP-GRGBW-1530-24
KWP-GRGBW-1530-24

RELATED ACCESSORIES > RELATED LED > SIDE EMITTING



KWP-SE-1210-24-8
KWP-SE-1210-24-8

RELATED ACCESSORIES > OTHER ACCESSORIES > ADDITIONAL ITEMS



GLAND
6x1,2
C24517C07

RELATED ACCESSORIES > OTHER ACCESSORIES > CONNECTORS



CONNECTOR
ZM-180
42717